How to set up automatic dataset downloads



Last modified on March 6, 2017

Table of Contents

Support: How to set up automatic dataset downloads

To set up automatic updates, you will need to edit the crontab as user sos. To do this, open a Terminal (Applications->Accessories->Terminal) and run:

crontab -e

For realtime data, make sure that your crontab file has this (or similar) line:

 $12\ ^*\ ^*\ ^*/shared/sos/bin/lftpNomads.sh\ /shared/sos/media/playlists/rt_all.sos > $HOME/soslogs/lftpNomads.log\ 2 > \&1$

You can change the playlist that gets downloaded by changing /shared/sos/media/playlists/rt_basic.sos to the full path of the playlist you want.

To keep all your regular data up to date, make sure your crontab has the following lines:

0 0 * * 1 wget -m -nd -P /shared/sos/media/playlists/ ftp://public.sos.noaa.gov/playlists/all.sos > \$HOME/soslogs/all-update.log 2>&1

0 2 * * 1 /shared/sos/bin/lftp_playlist /shared/sos/media/playlists/all.sos > \$HOME/soslogs/all-update.log 2>&1

5 0 * * 1 /shared/sos/bin/scan_library > \$HOME/soslogs/all-update.log 2>&1

To change the times of the downloads, look at this site for how the crontab works: Crontab Configuration